

BANG[®]
GOLF
Loud & Proud

SCOTT SMITH
539 Yards
Official World
Long Drive Record
using Bang-O-Matic
ST539

St539: The Longest Driver Ever Made

- ☉ 6 time winner of the World Long Drive Championship
- ☉ Holds 3 Official World Long Drive Records: Men at 539 yards, Ladies at 362 yards, and Juniors at 400 yards.
- ☉ Conforms with USGA Rules.
- ☉ The only patented design of the F.A.S.T. (Flow Alignment System Technology) which results in consistent longer & straighter functionality
- ☉ The "FA" system directs 97% of directional energy from the club to the ball, with less power dispersion. Other clubs deliver only 78% of directional



Letter from CEO

Dear Bang Customer,

We at Bang Golf are passionate about our pursuit to improve our products and YOUR GOLF GAME! We would like to thank our customers for their continued support. Bang Golf is the only company that can offer you the science and technology that holds the World Record long drive distance of 539 yards! We congratulate Bang staffer Mikael Lindblom for winning the European Championship and to Bang staffer Lana Lawless for winning the World Long Driver Championship, both championships awarded in 2008.

For 2009, we are introducing the second generation Bang-O-Matic ST539. Based on the successful design of the engineering structure, the Bang-O-Matic ST539 has been remade with new Beta Titanium for the whole body and multiple heat-treated processes. The ST539 series is a complete line with fairway woods/hybrid/putter, and iron sets from #0 to 65° X-wedges. ST539 series now stands for Bang Golf's premium line and it will lead us to the introduction of complete clubs that will be available in retail stores. At the same time, we will continue our component businesses with our club makers.

As every Bang Golfer knows, Bang Golf not only provides the highest quality equipment to the golf professionals and amateurs; we provide a wide variety of loft degrees from 2° to 20° drivers, #2 to #21 fairway woods for both right and left-handed players.

Bang Golf's R & D team has finalized the Flow Alignment Shaft Technology (FAST) shaft using new science and technology, and new graphite material from which many Bang Golfers shall benefit to greater achievements.

Bang Golf also brings color to golf. In 2003, Bang Golf successfully introduced the Mellow Yellow drivers and fairway woods. In 2005, Bang Golf again introduced innovative pink drivers and fairway woods, which immediately resulted in a pink trend in the golf industry.

Bang Golf has been a long time supporter of Long Drivers and Tour Players and will continue to support the current and oncoming new generation of players. We will also continue to devote ourselves to sponsor charity programs.

Please feel free to visit our new and improved website www.BangGolf.com. We have added many new features as well as our new product lines. BangGolf.com now provides online dealer managements. We welcome our dealers and distributors to take advantage of the new website to benefit your businesses and operations.

Thank you and we wish you a healthy and prosperous 2009!

Ron Nakagawa
CEO & Chairman
Bang Golf, Inc.



W425

“NAKAGAWA DESIGN” LD425 425cc Beta Titanium Driver

Bore: 42mm I/D: .335" O/D: 12.5mm B/R: 12x12" F/H: 54mm F/W: 102mm F/A: -0.25° LIE: 58°

LOFT	7.5°	9°	10.5°	12°
L/R HAND	-/R	-/R	-/R	-/R
WEIGHT	195g	195g	195g	188g

This elegant, Bang original design driver head by Ron Nakagawa is in a perfect pear shape from any viewing angle, and has an illusion of a water drop effect by viewing from heel down to the toe. This driver head uses FA (Flow-Alignment) System carried on from Bang-O-Matic series. It has a low profiled hitting face that provides more concentration of hitting power on the sweet spot. The whole driver head body is made of top grade 100% beta-titanium with special heat treatment process.

COMING IN MAY 2009...

Bang Golf is proud to introduce the new “Bangtastic” Driver, shipping in May 2009. The new design combines many previous Bang driver's best features in one unique model.



Drivers & Fairway Woods

www.BangGolf.com
BANG[®] GOLF


Bang-O-Matic Beta Titanium Driver 460cc Black

Bore: 63mm I/D: .335" O/D: 12.5mm B/R: 10x11" F/H: 59.1mm F/W: 99mm
Lie: 59° F/A: 0° Weight: 196g Volume: 460cc

LOFT	4.5°	5°	6°	6.5°	7.5°	9°	10.5°	12°	14°	16°
L/R HAND	L/R	-/R	L/R	-/R	L/R	L/R	L/R	L/R	L/R	L/R

401cc Black, Burgundy, Pink and Navy Blue

Bore: 64.5mm I/D: .335" O/D: 12.5mm B/R: 10x11" F/H: 55mm F/W: 95mm
Lie: 59° F/A: -0.25° Weight: 194g Volume: 460cc

LOFT	4.5°	6°	7.5°	9°	10.5°	12°	14°	16°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R

Bang-O-Matic driver is the world longest driver ever made in the world. It holds the record of world longest drive of 539 yards. It also holds the woman's world long drive record of 362 yards, and junior's world long drive record of 400 yards. Bang-O-Matic driver has won 6 world long drive championships since its debut in 2004.

Bang-O-Matic is the first driver featuring the Flow Alignment (FA) System technology design. Flow Alignment directs more energy from the club head to the ball with less power dispersion. Most modern-day drivers deliver only 78% of the proper directional energy toward the ball with 22% dispersion of energy. With the unique Flow Alignment System technology, the energy transfer rate is up to 94%. This contributes to a straighter and farther drive!

Bang-O-Matic has 460cc and 401cc versions. The 460cc driver head is sophisticatedly designed that it looks smaller to appeal to players that dislike great big heads, and is optimized for its performance. The 401cc version comes with different colors of pink, black, burgundy and navy blue. Bang-O-Matic driver conforms with USGA rules.


WBM-#

W401P-#

Bang-O-Matic Fairway Wood Beta Titanium-Tungsten Black

Bore: 35mm I/D: .335" O/D: 12.7mm B/R: 10x11" F/A: -0.25°

No.	3+	3	4	5	7	9	11
LOFT	13°	15°	17°	19°	23°	27°	31°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R
LIE	58.5°	59°	59.5°	60°	60.5°	61°	61.5°
F/H (mm)	35.5	35	34.5	34	33.5	33	32.5
F/W (mm)	68.8	68.8	67.6	66.8	65.3	62.9	62.1
WEIGHT	206g	208g	210g	215g	220g	225g	230g

Pink-O-Matic Fairway Wood Beta Titanium-Tungsten

Bore: 35mm I/D: .335" O/D: 12.7mm B/R: 10x11" F/A: -0.25°

No.	3	5	7	9
LOFT	15°	19°	23°	27°
L/R HAND	L/R	L/R	L/R	L/R
LIE	59°	60°	60.5°	61°
F/H (mm)	35	34	33.5	33
F/W (mm)	68.8	66.8	65.3	62.9
WEIGHT	208g	215g	220g	225g


Mellow Yellow SQUARE 460cc Beta Titanium Driver
Bang Pink SQUARE 460cc Beta Tit Driver

Bore: 42mm I/D: .335" O/D: 12.5mm B/R: 11x11" F/A: -0.25° F/H: 54mm F/W: 100mm Lie: 59° Weight: 195g

LOFT	4.5°	6°	7.5°	9°	10.5°	12°	14°	16°	18°	7.5°	9°	10.5°	12°	14°	16°	18°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R

The 2nd generation of Mellow Yellow driver by Bang Golf, the MY-Square driver, is made of a beta titanium using special heat treatment method for the whole body to create the most resistant compaction. In addition to the FA (Flow Aliment) system technology used for other Bang drivers, MY-Square maximizes the FA System function that not only re-concentrates the stick energy to 97.7%, but also provides the solid high pitch (Loud and Proud) hitting sound. The structural design of the lower profile with the CG (center of the gravity) at the back of the crown provides the best performance to make the ball fly straight and far. Robot and manual testings report the MY-Square driver has an average of 17.4 yards greater distance than other major brand named drivers. The Mellow Yellow SQUARE driver conforms with USGA rules.


Mellow Yellow SQUARE Fairway Wood
Bang Pink SQUARE Fairway Wood

Bore: 40mm I/D: .335" O/D: 12.7mm B/R: 11x11" F/A: -0.5°

No.	3+	3	4	5	7	9	11
LOFT	13°	16°	18°	20°	24°	28°	32°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R
LIE	58°	58.5°	59°	59.5°	60°	60.5°	61°
F/H (mm)	31	30.5	30	29.5	29	28.5	28
F/W (mm)	81	80.7	80.4	80.1	79.8	79.5	79.2
WEIGHT	203g	207g	211g	215g	221g	227g	233g
VOLUME	165cc	160cc	155cc	150cc	145cc	140cc	135cc

Bore: 40mm I/D: .335" O/D: 12.7mm B/R: 11x11" F/A: -0.5°

No.	3+	3	4	5	7	9	11
LOFT	13°	16°	18°	20°	24°	28°	32°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R
LIE	58°	58.5°	59°	59.5°	60°	60.5°	61°
F/H (mm)	31	30.5	30	29.5	29	28.5	28
F/W (mm)	81	80.7	80.4	80.1	79.8	79.5	79.2
WEIGHT	203g	207g	211g	215g	221g	227g	233g
VOLUME	165cc	160cc	155cc	150cc	145cc	140cc	135cc

Drivers & Fairway Woods

www.BangGolf.com
BANG[®] GOLF

W457

W456
W456P

The BangStorm OffSet Beta Titanium Driver 460cc

Bore: 42mm Lie: 58° F/A 0° Weight: 197g Volume: 460cc I/D: .335" O/D: 12.5mm B/R: 11.5x11.5" F/H: 63.4mm F/W: 101mm

LOFT	4°	5.5°	7°	8.5°	9.5°	10.5°	12°	14°	16°	18°	7°	8.5°	9.5°	10.5°	12°	14°	16°	18°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	-/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R

The BangStorm and the BangStorm OffSet 460cc Beta-Ti Driver is designed with an extra large face and a higher center of gravity for lower loft degree and gradually changed into lower center gravity towards to the higher loft degrees. This new design gives you an extra large sweet spot on the club face without core lines, while reducing the spin and launch angle in order to get more distance and forward rolling. The deep multi color blue finish that fades to black is simply beautiful to look at and will give you the positive confidence at the setup.

With all the advantages of the BangStorm driver, the BangStorm OffSet Driver gives the player much easier performance adjustment in slicing controls, and it has been proved by the slower swing speed golfers.


W458-#

W459-#
W459P-#

The BangStorm Fairway Wood Maraging Steel

Bore: 38.5mm I/D: .335" O/D: 12.7mm B/R: 12x12" FA: 0° L/R

No.	2	3+	3	4	5	7	9	11	13	15	17	19	21
LOFT	11°	13°	16°	18°	20°	24°	28°	32°	36°	40°	44°	48°	54°
LIE	57°	57.5°	58°	58°	58.5°	59°	59.5°	60°	60.5°	61°	61.5°	62°	63°
F/H (mm)	37.5	37	37	36.5	36.5	36	35.5	35.5	35	35	34.5	34.5	34
F/W (mm)	84	83.5	83	82.5	82	81.5	81	80.5	80	79.5	79	78.5	78
WEIGHT	208g	210g	210g	212g	216g	222g	228g	234g	239g	244g	249g	254g	259g
VOLUME	192cc	188cc	184cc	182cc	180cc	172cc	164cc	156cc	148cc	140cc	132cc	128cc	120cc

The BangStorm OffSet Fairway Wood Maraging Steel

Bore: 38.5mm I/D: .335" O/D: 12.7mm B/R: 12x12" FA: -1.5° L/R

No.	2	3+	3	4	5	7	9	11	13	15	17	19	21	3	4	5	7	9
LOFT	11°	13°	16°	18°	20°	24°	28°	32°	36°	40°	44°	48°	54°	16°	18°	20°	24°	28°
LIE	57°	57.5°	58°	58°	58.5°	59°	59.5°	60°	60.5°	61°	61.5°	62°	63°	58°	58°	58.5°	59°	59.5°
F/H (mm)	37.5	37	37	36.5	36.5	36	35.5	35.5	35	35	34.5	34.5	34	37	37	36.5	36	35.5
F/W (mm)	84	83.5	83	82.5	82	81.5	81	80.5	80	79.5	79	78.5	78	73	73	70	68	66
WEIGHT	208g	210g	210g	212g	216g	222g	228g	234g	239g	244g	249g	254g	259g	210g	210g	216g	222g	228g
VOLUME	192cc	188cc	184cc	182cc	180cc	172cc	164cc	156cc	148cc	140cc	132cc	128cc	120cc	184cc	184cc	180cc	172cc	164cc

The BangStorm Fairway Wood is made of special heat treated maraging steel, with a mid-to-low profile face and an extra lower center of gravity that easily hit the ball farther and straighter. This is the only and the most complete fairway wood product line in the whole golf industry today ranging from #2, #3+, #3, #4, #5 up to #21 which covers the loft from 11 to 54 degrees, both left and right handed.

In addition to the advantages of the BangStorm Fairway woods, the OffSet performs even more easily for the player to adjust the slicing direction, and it has been proved by the slower swing speed golfers.


W430

WMY
Bangster 100% Beta Titanium Driver 430cc TICN Black

Bore: 42mm I/D: .335" O/D: 12.5mm B/R: 11.5x11.5" F/H: 57.3mm F/W: 98mm
Lie: 58° F/A: -0.5° Weight: 197g Volume: 430cc

LOFT	4°	5°	6°	7.5°	9°	10.5°	12°	14°	16°
L/R HAND	L/R	-/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R

Bangster driver is the first one in the golf industry that uses 100% beta titanium to construct the whole body of the driver head, which results in the perfectly even hardening of the whole driver during the heat treatment process. It also features TICN face treatment, which raises the surface hardness level 2.75 times more than those of untreated faces, and also gives the hitting face a dark shining appearance. Bangster driver also inherits the FA design from the Bang-O-Matic driver, which ensures a maximum energy transfer and a longer drive.

Mellow Yellow 420cc Beta Titanium Driver

Bore: 42mm I/D: .335" O/D: 12.5mm B/R: 10x11" F/H: 57.5mm
Lie: 55° F/A: -0.25° Weight: 197g Volume: 420cc

	4°	6°	7.5°	9°	10.5°	12°	14°	16°	18°
L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R

Mellow Yellow driver was the first driver that brought color to the golf industry and awakened the color consciousness of the golfers. It has a pear shape combined with a low profile face that gives golfers an easier and smoother swing. Mellow Yellow driver is the first in the golf industry to introduce higher loft above 14°. Mellow Yellow quickly becomes the most popular product after its debut in 2002 and was endorsed by Golf Digest on the Golf Digest Hot List 2003.


W430-#

WMY-#
Bangster Fairway Wood, Maraging Steel TICN Black

Bore: 38.5mm I/D: .335" O/D: 12.7mm B/R: 12x12"

No.	3+	3	4	5	7	9	11
LOFT	13°	16°	18°	20°	23°	27°	31°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R
LIE	58°	58°	58.5°	58.5°	59°	59.5°	60°
F/A	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°
F/H (mm)	37	37	36.5	36.5	36	35.5	35

Mellow Yellow Fairway Wood, Stainless Steel

Bore: 40mm I/D: .335" O/D: 12.7mm B/R: 10x11"

No.	3	5	7	9	11
LOFT	15°	19°	23°	27°	31°
L/R HAND	L/R	L/R	L/R	L/R	L/R
LIE	56°	57°	58°	58.5°	59°
F/A	0°	0°	0°	0°	0°
F/H (mm)	41.2	37.2	37.0	36.6	36.2

Drivers & Fairway Woods

www.BangGolf.com
BANG[®] GOLF

W360

W360P

Spring Face Titanium Driver 360cc Blue

Bore: 42mm I/D: .335" O/D: 12.5mm B/R: 10x11" F/H: 51mm F/W: 91mm Lie: 54° F/A: -0.25° Weight: 195g Volume: 360cc

LOFT	4°	6°	7.5°	8.5°	9.5°	10.5°	12°	14°	16°	LOFT	9.5°	10.5°	12°	14°	16°
L/R HAND	-/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R HAND	L/R	L/R	L/R	L/R	L/R

Spring Face Titanium Driver 360cc Pink

The Spring Face driver is a very popular and economical driver product that carries the very conservative design tradition of the golf game for average golfers at a very affordable price. It provides excellent performance with its smaller size yet with more dynamic concentration. The Spring Face driver has been the best selling product for so many years that it has proven itself to be the ideal drivers for everyone.


W260-#

W260P-#

Spring Face Stainless Steel Fairway Wood Blue

Bore: 40mm I/D: .335" O/D: 12.7mm B/R: 10x11"

No.	3	5	7	9	11	13	15	17	19	21
LOFT	15°	19°	23°	27°	31°	35°	39°	43°	47°	52°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R	L/R
LIE	56°	57°	58°	58.5°	59°	59.5°	60°	60.5°	61°	61.5°
F/A	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°	-0.5°
F/H (mm)	40	38.5	37	35.5	34	32.5	31	29.5	28	26.5
F/W (mm)	90.3	88.2	86.1	84	82	80	77.9	75.8	73.7	71.6
WEIGHT	212g	220g	225g	230g	235g	240g	245g	250g	255g	260g
VOLUME	220cc	185cc	175cc	155cc	145cc	125cc	115cc	105cc	95cc	95cc

Spring Face Stainless Steel Fairway Wood Pink

Bore: 40mm I/D: .335" O/D: 12.7mm B/R: 10x11"

No.	3	5	7	9
LOFT	15°	19°	23°	27°
L/R HAND	L/R	L/R	L/R	L/R
LIE	56°	57°	58°	58.5°
F/A	-0.5°	-0.5°	-0.5°	-0.5°
F/H (mm)	40	38.5	37	35.5
F/W (mm)	90.3	88.2	86.1	84
WEIGHT	212g	220g	225g	230g
VOLUME	220cc	185cc	175cc	155cc


W450
Big Bang SP700 Beta Titanium Driver 450cc Blue

Bore: 42mm I/D: .335" O/D: 12.5mm B/R: 10x11" F/H: 56mm F/W: 97mm
Lie: 58° F/A: 0° Weight: 200g Volume: 450cc

LOFT	6°	7.5°	9°	10°	12°	14°	16°
L/R HAND	L/R	L/R	L/R	L/R	L/R	L/R	L/R

Big Bang is USGA conforming driver and was the mostly used driver in the 2002 and 2003 RE/MAX world long drive competition. It won the 2003 woman's world championship in the 2003 RE/MAX world long drive championship of 332 yards, which was the LDA lady's world long drive record. This is still one of the best selling products for so many years in a row.


WTFT
Bangenstein Tri-Face-Tech Beta Titanium Driver 430cc Green

Bore: 40mm I/D: .335" O/D: 12.5mm B/R: 9x9" F/H: 57mm F/W: 97.1mm
Lie: 58° F/A: -0.25° Weight: 203g Volume: 430cc

LOFT	7.5°	9°	10°	12°	14°
L/R HAND	L/R	L/R	L/R	L/R	L/R

The Bangenstein driver features triple face technology (non USGA conforming) that has a higher COR value. The hitting face is so solid that it is virtually un-


WOS
Maxwell Curve OffSet Titanium Driver 350cc Blue

Bore: 38mm I/D: .335" O/D: 12.5mm B/R: 10x11"
Lie: 56° F/A: -0.25° Weight: 200g Volume: 350cc

LOFT	6°	7°	9°	10.5°	12°
L/R HAND	L/R	L/R	L/R	L/R	L/R

The Maxwell Curve OffSet driver was introduced in 2002 and it helped those senior players that would have given up golf but found the pleasure and confidence by using this uniquely designed, the maximum offset driver every created in the whole golf industry.


WOS-#
Maxwell Curve OffSet Fairway Wood Blue

Bore: 37mm I/D: .335" O/D: 12.7mm B/R: 10x11"
Lie: 56° F/A: -1.5° L/R

No.	3	5	7
LOFT	15°	19°	23°
LIE	56°	56°	56°
F/H (mm)	45	44	43

Hybrids, ToT'in Bone'Z Series

www.BangGolf.com
BANG[®] GOLF


Bang-O-Matic Hybrid, Maraging Steel/Tungsten Black/Blue

Pink-O-Matic Hybrid, Maraging Steel/Tungsten

Bore: 34mm I/D: .370" O/D: 13.8mm B/R: 11x11" F/W: 86mm

No.	1	2	3	4	5	6	7	8	9	PW	DW	SW	LW
LOFT	12°	15°	18°	21°	24°	27°	31°	36°	41°	46°	51°	56°	61°
LIE	59°	59°	60°	60°	61°	61°	62°	62°	63°	63°	63.5°	64°	64.5°
F/H (mm)	33	33.3	33.6	33.9	34.2	34.5	35	35.5	36	37	38	39	40
WEIGHT	220g	225g	230g	235g	240g	245g	250g	255g	260g	265g	270g	275g	280g
VOLUME	118cc	115cc	112cc	109cc	106cc	103cc	100cc	97cc	94cc	91cc	88cc	85cc	82cc

The Bang Hybrid is now re-introduced as a full hybrid loft line-up based on the great success of the previous Bang Hybrid products. It features FA system technology for perfect trajectory, and a lower center of gravity to help launch the ball in the air quicker and easier than most hybrids on the market today. With Bang Hybrid, the hooks and slices are gone. The hybrid has a deep blue finish that fades to a black, creating the best looking club head you have laid your eyes on.

Tom Garber gave the highest rating for Bang Hybrid products, saying the Bang Hybrid is the best club he has ever used in his whole life, and that he simply could not hit a better game without it.

Specially Designed for Seated Golfers



Bang ToT'in Bone'Z Custom Titanium Driver

Bang ToT'in Bone'Z Custom Titanium Fairway Wood

No.	Driver	#3 Wood	#3 Iron	#5 Iron	#7 Iron	#9 Iron	DW	Putter
LOFT	13.5°	17.5°	20°	27°	35°	43°	51°	4°
LIE	42.5°	40°	37°	40°	42°	44°	44°	54°
Bore (mm)	42	39	32	32	32	32	32	16
I/D	.335"	.335"	.370"	.370"	.370"	.370"	.370"	.370"
O/D (mm)	12.5	12.5	13.8	13.8	13.8	13.8	13.8	--
B/R	10x11"	10x11"	--	--	--	--	--	--
F/H (mm)	50	39	--	--	--	--	--	--
F/W (mm)	105	86	--	--	--	--	--	--
WEIGHT	196g	212g	243g	250g	257g	264g	271g	335g
VOLUME	320cc	220cc	--	--	--	--	--	--

For so many years, there were no golf equipments for seated golfers. In 2003, Bang Golf developed an innovative golf club series for the first time in golf history




IBM
Bang-O-Matic CenterCut Iron, Forged/CNC Face and Back

Bore: 30mm I/D: .370" O/D: 13.5mm F/W: 85mm L/R

No.	0	1	2	3	4	5	6	7	8	9	PW	DW	SW	LW	XW
LOFT	11°	14°	17°	20°	23°	26°	29°	32°	36°	40°	45°	50°	55°	60°	65°
LIE	54°	55°	56°	57°	58°	59°	60°	61°	62°	63°	64°	64°	64°	64°	64°
OFFSET (mm)	6.0	5.6	5.2	4.8	4.4	4.0	3.6	3.2	2.8	2.4	2.0	1.6	1.2	0.8	0.4
BOUNCE	-1°	-1°	-0.5°	0°	0°	1°	2°	3°	4°	4°	4°	4°	4°	5°	5°
F/H (mm)	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
WEIGHT	223g	229g	236g	243g	250g	257g	264g	271g	278g	285g	292g	296g	300g	302g	304g

The Bang-O-Matic CenterCut iron/wedge is the only iron/wedge product series that extends from #0 to XW for both handed in the whole golf industry throughout the golf history ever. It also features a revolutionary innovation in the design that differs from cavity, blade or muscle back. It is made of forged soft metal with CNC milled face and back. The Bang-O-Matic wedge has an extreme sole weight that is wide enough to help your fat shots still be good shots! Weighting is low to help you get the ball into the air, as well as moved toward the toe to keep the center of gravity away from the hosel and below the center of the ball. The Bang-O-Matic wedge is an ultra game improvement tool with CNC milled face engravings for a better backspin control.


I101
G101 Iron, Stainless Steel

Bore: 36mm I/D: .370" O/D: 13.5mm L/R

No.	2	3	4	5	6	7	8	9	PW	DW	SW
LOFT	17°	20°	23°	26°	30°	34°	38°	42°	47°	51°	55°
LIE	59°	60°	60°	61°	61°	62°	62°	63°	63°	64°	64°
WEIGHT	235g	242g	249g	256g	263g	270g	277g	284g	291g	297g	304g

Pink-O-Matic Irons, Stainless Steel

The G101 iron was initially designed to be the entry level irons for beginner golfers with its fat sole and lower center of gravity. Yet intermediate and advanced golfers later found it so easy to control and so forgiving that it quickly becomes everyone's favorite.


IMY
Mellow Yellow Iron, Stainless Steel

Bore: 30mm I/D: .370" O/D: 13.5mm L/H

No.	2	3	4	5	6	7	8	9	PW	SW
LOFT	17°	20°	23°	27°	31°	35°	39°	43°	47°	55°
LIE	59°	60°	61°	61.5°	62°	62.5°	63°	63.5°	64°	64°
WEIGHT	240g	242g	249g	256g	263g	270g	277g	285g	293g	301g

SF Plus Iron Stainless Steel

Bore: 30mm I/D: .370" O/D: 13.5mm L/H

Irons and Wedges

www.BangGolf.com
BANG[®] GOLF

ICI

Classic I TourTools Iron, Semi-Forged Soft Metal

Bore: 33mm I/D: .370" O/D: 13.5mm R/H

No.	1	2	3	4	5	6	7	8	9	PW	SW
LOFT	17°	19°	22°	26°	29°	32°	36°	40°	44°	49°	54°
LIE	56°	57°	58°	59°	60°	61°	62°	63°	64°	64°	64°
WEIGHT	228g	235g	242g	249g	256g	263g	270g	277g	284g	293g	300g

The Tour Tools Classic I iron contains a full range of loft degrees from #1 to #9, PW DW and SW. It is made of soft steel and can be easily bent to adjust to the desired loft or lie up to 5 degrees. The soft material gives a better ball touching and control. The none-offset hosel and the low profiled face provide a more forgiving functionality and a more durable playability.

Classic II TourTools Iron, Semi-Forged Soft Metal

Bore: 33mm I/D: .370" O/D: 13.5mm R/H

No.	1	2	3	4	5	6	7	8	9	PW	SW
LOFT	14°	18°	22°	26°	30°	34°	38°	42°	44°	48°	56°
LIE	55°	56°	57°	58°	59°	60°	61°	62°	63°	64°	64°
OFFSET (mm)	4.18	3.8	3.42	3.04	2.66	2.28	1.9	1.52	1.14	0.76	0
BOUNCE	3°	3°	3°	3°	3°	3°	3°	3.5°	4°	5°	7°
WEIGHT	232g	239g	246g	253g	260g	267g	274g	281g	288g	295g	302g

The TourTools Calssic II iron is made of semi-forged soft metal that can be easily bent to adjust to the desired loft or lie up to 5 degrees. It is a replica of a famouse blade from 1968 with a new refreshing outlook.

ICII

ICIII

Bore: 33mm I/D: .370" O/D: 13.5mm R/H

No.	1	2	3	4	5	6	7	8	9	PW	SW
LOFT	15°	17°	19°	22°	25°	28°	32°	36°	40°	45°	54°
LIE	60°	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°	64°	64°
OFFSET (mm)	3.05	2.67	2.27	1.91	1.52	1.14	0.76	0.38	0	0	0
BOUNCE	3°	3°	3°	3°	3°	3°	3°	3°	3°	5°	7°
WEIGHT	229g	236g	243g	250g	257g	264g	271g	278g	285g	292g	300g

The TourTools Calssic III iron is made of semi-forged soft metal that can be easily bent to adjust to the desired loft or lie up to 5 degrees. It is a replica of a famouse blade from 1982 with an enhanced performance.

Classic III TourTools Iron, Semi-Forged Soft Metal

TourTools Wedge System 304 Stainless Steel

Bore: 33mm I/D: .370" O/D: 13.5mm R/H

No.	52° Wedge	56° Wedge	60° Wedge
LOFT	52°	56°	60°
LIE	60°	60°	60°
WEIGHT	302g	302g	302g

IBTT


For Bang-O-Matic, Bangster, LD525 Drivers & Fairway Woods
For BangStorm Drivers
For Bangenstein

For Mellow Yellow & SQUARE Drivers & Fairway Woods
For All Hybrids

Irons & Wedges with Snap-On Number Tags
Featured Driver Products

W525

 available in 6°, 7.5°,
9°, 10°, 12° & 14° L/R

W600

 available in 7.5°, 9°,
10°, 12° & 14° R/H only

Dr. Foo's Glue & Assembling Materials

BANG[®] GOLF

New high density fine product by Bang Golf. The finest epoxy in the world, Dr. Foo's Glue is the only epoxy on the market designed for golf clubs. Retail package & customized private label available.



5 minute, 30 minute and 24 hour glues packaged in 30ml, 4oz, 8oz, 16oz, 32oz, half gallon, 1 gallon and 2 gallon kits.

Dr. Foo's Glue, the Finest High Density Epoxy in the World!



DFR Professional Club Fitting Ruler (with Instructions)



DLG

DBRG



DSA

DHA

DST

Interchangeable Shaft Adapters (.335/.350/.370) & Tools



DTP

DFW

DXW

**Bang FAST LD 50" Shaft**


FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
4X/5X	50"	66	.335"	.615"	1.6	H	6"	140+
3X	50"	65	.335"	.615"	1.9	H	6"	130+
XX	50"	64	.335"	.615"	2.2	H	6"	120+
X	50"	63	.335"	.615"	2.5	H	6"	115+
S	50"	62	.335"	.615"	2.8	MH	6"	105+
F	50"	61	.335"	.615"	3.1	MH	6"	98+
R	50"	60	.335"	.615"	3.4	M	6"	90S
A	50"	59	.335"	.615"	3.7	M	6"	80S

**Bang FAST Wood Shaft**

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
XX	46"	46	.335"	.610"	2.1	H	5"	120+
X	46"	45	.335"	.610"	2.5	MH	5"	115+
S	46"	44	.335"	.610"	2.9	M	5"	105+
F	46"	43	.335"	.610"	3.3	M	5"	98+
R	46"	42	.335"	.610"	3.7	ML	5"	90S
A	46"	41	.335"	.605"	4.0	ML	5"	80S
L	46"	39	.335"	.600"	4.4	L	5"	70S
LL	46"	37	.335"	.600"	4.8	L	5"	60S

Bang FAST Iron/Hybrid Shaft


FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
XX	41"	46	.370"	.600"	1.9	H	5"	120+
X	41"	45	.370"	.600"	2.1	MH	5"	115+
S	41"	44	.370"	.600"	2.5	M	5"	105+
F	41"	43	.370"	.600"	2.9	M	5"	98+
R	41"	42	.370"	.600"	3.3	ML	5"	90S
A	41"	41	.370"	.600"	3.7	ML	5"	80S
L	41"	39	.370"	.600"	4.0	L	5"	70S
LL	41"	37	.370"	.600"	4.4	L	5"	60S

**Grafalloy Bang Bang-O-Matic Wood Shaft**

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
X/2X	45"	72	.335"	.600"	2.5	ML	5"	110-130
F/S	45"	71	.335"	.600"	2.9	ML	5"	100-110
R/F	45"	70	.335"	.600"	3.3	ML	5"	90-100
A/R	45"	69	.335"	.600"	3.8	ML	5"	80-90
L/A	45"	68	.335"	.600"	4.2	ML	5"	70-80


Grafalloy Bang Bang-O-Matic Iron/Hybrid Shaft

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
X/2X	41"	65	.370"	.600"	2.9	ML	5"	110-130
F/S	41"	64	.370"	.600"	3.1	ML	5"	100-110
R/F	41"	63	.370"	.600"	3.3	ML	5"	90-100
A/R	41"	62	.370"	.600"	3.6	ML	5"	80-90
L/A	41"	61	.370"	.600"	4.3	ML	5"	70-80

**Bang TourTube Step Wood Shaft**

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
R/S	46"	69	.335"	.600"	3.3	L	6.5"	85-115

Shafts

**Grafalloy Bang Bangster Wood Shaft**

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
X/2X	46"	72	.335"	.600"	2.5	ML	5"	110-130
F/S	46"	71	.335"	.600"	2.9	ML	5"	100-110
R/F	46"	70	.335"	.600"	3.3	ML	5"	90-100
A/R	46"	69	.335"	.600"	3.8	ML	5"	80-90
L/A	46"	68	.335"	.600"	4.2	ML	5"	70-80

Grafalloy Bang Bangster Iron/Hybrid Shaft

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
X/2X	41"	65	.370"	.600"	2.9	ML	5"	110-130
F/S	41"	64	.370"	.600"	3.1	ML	5"	100-110
R/F	41"	63	.370"	.600"	3.3	ML	5"	90-100
A/R	41"	62	.370"	.600"	3.6	ML	5"	80-90
L/A	41"	61	.370"	.600"	4.3	ML	5"	70-80

**Bang Pink-O-Matic Wood Shaft**

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
S	43.5"	72	.335"	.600"	3.8	L	4"	100+
R	43.5"	70	.335"	.600"	4.1	L	4"	90+
A	43.5"	68	.335"	.600"	4.4	L	4"	80+
L	43.5"	66	.335"	.600"	4.7	L	4"	70+

Bang Pink-O-Matic Iron/Hybrid Shaft

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
R/S	39.5"	42	.370"	.600"	3.8	L	4"	85-105
L/A	39.5"	39	.370"	.600"	4.7	L	4"	65-85

**Bang Mellow Yellow Wood Shaft**

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
S/X	45"	65	.335"	.600"	3.7	L	5"	100-110
R/F	45"	62	.335"	.600"	4.3	L	5"	85-100
L/A	45"	59	.335"	.600"	4.9	L	5"	70-85

Bang Mellow Yellow Iron/Hybrid Shaft

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
S/X	41"	72	.370"	.600"	3.7	L	5"	100-110
R/F	41"	69	.370"	.600"	4.2	L	5"	85-100
L/A	41"	66	.370"	.600"	4.7	L	5"	70-85

**BangStorm Blue/Black LD 50" Wood Shaft**

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
3X/4X	50"	65	.335"	.600"	2.0	H	6"	130+
X/2X	50"	62	.335"	.600"	2.4	H	6"	110+
R/S	50"	59	.335"	.600"	2.8	MH	6"	95+


BangStorm Blue/Black Wood Shaft

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
S/X	45"	65	.335"	.600"	3.7	L	5"	100-110
R/F	45"	62	.335"	.600"	4.3	L	5"	85-100
L/A	45"	59	.335"	.600"	4.9	L	5"	70-85

BangStorm Blue/Black Iron/Hybrid Shaft

FLEX	LEN	WT(g)	TIP	BUTT	TQ	KP	PAR	SS(mph)
------	-----	-------	-----	------	----	----	-----	---------


Shafts / Bags

www.BangGolf.com
BANG[®] GOLF


Graphite & Steel Wood, Iron, Hybrid, Putter Shafts



Bang Carry Bags



BANG[®] GOLF

www.BangGolf.com

Apparels

Bang windbreakers of all colors come with sizes of XXS, XS, S, M, L, XL, XXL and XXXL. They are made of top grade silk-like materials, 80% polyester 15% nylon, with an inner layer made of 100% nylon. This makes the windbreaker water-proof and keeps you comfortably warm in the wind. The material is machine washable, and is very durable. There are two pockets on each side, and one chest pocket on the left with zipper for keeping important small items.



Bang shirts of all colors come with sizes of XXS, XS, S, M, L, XL, XXL and XXXL. They are made of 100% top grade cotton, durable and comfortable to wear.

Bang Lady's Vest With Hood**Bang Mock Tee**

Apparels

www.BangGolf.com
BANG[®] GOLF


100% cotton, one size fits all
with adjustable velcro
straps, available in Red,
Burgundy, Yellow, Black,
Blue, White colors

CA
Bang Caps

CV
Bang Visors

100% cotton, one size fits all, available in Red, Pink, Yellow, Black, Blue, White colors

CT
Bang Towels

100% cotton, available
in Red, Black, Blue,
White, Yellow colors


CU
Bang Umbrella

100% nylon, available in Red, Pink, Black colors

CB


Bang Change Bags

BSU

BSR
BSY



Bang Standard Black V-Style Grip




OEM Standard Gold Cord Grip




Bang Oversize Black Grip




Bang Pink Rubber Lady Grip



Bang Standard Black Wrap Style




Bang Standard Black Spirit Grip




Bang Undersize Black/Brown Grip



Bang Standard Black/White Grip



Bang Standard Black/Blue Cord Grip



Bang Standard Black/Yellow Cord Grip




Bang Standard Red/White/Blue Grip



Bang Standard Red/White/Blue Putter Grip



Bang Standard Black Putter Grip



Bang Midsize Black Putter Grip



Winn/Bang Xi7 Grip Red



Winn/Bang PCi Grip Red



Winn/Bang PCi Grip Black




Winn/Bang DSi Grip Black



Winn/Bang DSi Grip Green



Winn/Bang W3 Grip Blue



Winn Standard Putter Grip Tan



Winn Standard Grip Tan

Bang All-Weather Leather Gloves



VW



VKW



VK



VPF



VYF

Putters

www.BangGolf.com
BANG[®] GOLF

Bang-O-Matic CADET Putter

CADET (Controlled-Accuracy-Distance-Engineered-Technology) putter has 3 different hardness interchangeable face inserts allow golfers to control their ball speed while using the single putter and maintain their usual method of putting. The red face insert has a soft feel and gives the slowest ball speed. The white face insert is medium in hardness and generates an increased ball speed. The blue face insert is the hardest and provides the fastest ball speed.

The toe-weight has a significant role to prevent slicing, and the heel-weight to stop hooking. There are total 9 varieties of weight combinations and adjustments for CADET putter head.

The RH/LH putters use the double bent shaft to perfectly balance the putter face. The center hole putter uses the single bent shaft that can also be assembled with the long shaft putter as well.

Weight: Lighter-386g; Heavier-446g; Toe/Heel-416g

Lie: RH/LH 72° Center Hole: 90°

Loft: 4° Bore: 35mm I/D: .370"

PC
Bang-O-Matic
CADET Putter



Black

Blue

Silver

Red

Available in Left-Handed, Right-Handed and Center-Holes for all colors

PKIT

CADET Putter Kit, includes an extra red face insert for softer touch and slower ball speed, an extra blue face insert for harder feel and faster ball speed, and interchangeable weights of 386g and 446g each, plus two screws and a screw driver, all in a nice elegant kit box.



PCC

Bang-O-Matic CADET Completed Putter

Available in Left-Handed, Right-Handed and Center-Holes for all colors.



**BANG[®] GOLF**

10004 Garvey Ave
El Monte, CA 91733-2004



Mikael Lindblom
2008 European
LD Champion

Lana Lawless
2008 World LD Champion

